8. References

[1] James S. Walker and Truong Q. Nguyen. (2001). “A Wavelet based image compression”. The Transform and Data Compression Handbook.pp.no.1-96.

[2] Jia Li. (2013). “An enhanced wavelet image lossless compression algorithm”.Optik journal book. Vol.no.124.pp.no.1041-1044.

[3] Meenakshi Sharma and Priyanka Mangla. (2013). “Image compression using Thresholding Techniques”. International Journal Of Engineering And Computer Science. ISSN.no. 2319-7242.vol.no.3.pp.no. 6470-6475.

[4] A.M.Raid, W.M.Khedr, M. A. El-dosuky and Wesam Ahmed. (2014). “Image Compression Using EmbeddedZerotree Wavelet”. Signal & Image Processing : An International Journal.vol.no.5.pp.no.33-39.

[5] Kaveh Ahmadi, Ahmad Y. Javaid and EzzatollahSalari. (2015). “An efficient compression scheme based on adaptive thresholding in wavelet domain using particle swarm optimization”. Signal Processing: Image Communication.vol.no.32.pp.no.33-39.

[6] C.Vimalraj, S.StebilinBlessia and S.Esakkirajan. (2012). “Image compression using wavelet packet andsingular value decomposition”. IEEE International Conference on Computational Intelligence and computing research.pp.no.1-6.

[7] Jibanananda Mishra and Ranjankumar Jena. (2013). “Enhanced Intelligent ImageCompression With AdaptiveWavelet Threshold For ImageDenoising”. International Journal of Application or Innovation in Engineering & Management. ISSN.no.2319 – 4847.vol.no.2.pp.no.249-255.

[8] Rehna V. J and Jeya Kumar M. K. (2012). “Wavelet Based Image Coding Schemes: A Recent Survey”. International Journal on Soft Computing.vol.no.3.pp.no.101-118.

[9] J.Oliver and M.P.Malumbres. (2001). “An implementation of the EZW algorithm”. IEEE transactions.pp.no.1-6.

[10] Awwal Mohammed Rufai,GholamrezaAnbarjafari and HasanDemirel. (2014). “Lossyimagecompressionusingsingularvaluedecompositionandwaveletdifferenceredu ction”. Digital Signal Processing Journals.vol.no.24.pp.no.117-123.

[11] MichailKrinidis, Nikos Nikolaidis and Ioannis Pitas. (2007). “The discrete modal transform and its application tolossy image compression”. Signal Processing: Image Communication.vol.no.22.pp.no.480-504.

[12] Damon M. Chandlerand Sheila S. Hemami. (2005). “Dynamic Contrast-Based Quantization forLossy Wavelet Image Compression”. IEEE transactions on image processing.vol.no.14.pp.no.397-410.

[13] Marta Beltran Pardo and Christian Tenllado van der Reijden. (2002). “Embedded Lossy Image Compression Based onWavelet Transform”. International Symposium onVideo / Image Processing and Multimedia Communications.vol.no.8.pp.no.195-199.

[14] Raghvendra Sharma, Apoorva Kesarwani and Prakhar Mohan Mathur. (2014). “A Novel Compression Algorithm using DWT”. Annual IEEE India Conference.pp.no.1-4.

[15] Mei Tian, Si-Wei Luo and Ling-Zhi Liao. (2005). “An Investigation into using Singular Value Decomposition as a Method of Image Compression”. Proceedings

of the Fourth International Conference on Machine Learning and Cybernetics.pp.no.5200-5204.

[16] Andrew C. Hadenfeldt and Khalid Sayood. (1994). “Compression of Color-Mapped Images”. IEEE transactions on geoscience and remote sensing.vol.no.32.pp.no.534-541.

[17] Remya George and Mrs.Manimekalai.M.A.P. (2014). “A Novel Approach for Image CompressionUsing Zero Tree Coding”. International Conference on Electronics and Communication System.pp.no.1-5.

[18] A. Priyanka Singh and B. Priti Singh. (2012). “A Comparative Study of Enhanced EmbeddedZerotree Wavelet Image Coder for True andVirtual Images”. IEEE transactions.pp.no.1-5.

[19] J.M.Zhong, C.H.Leung and Y.Y.Tang. (1998). “An Enhanced Zerotree Wavelet Image Coder based on Significance Checking in Wavelet Trees”. IEEE transactions.pp.no.4567-4571.

[20] Sure. Srikanth and SukadevMeher. (2013). “Compression Efficiency for Combining DifferentEmbedded Image Compression Techniques withHuffman Encoding”. International conference on Communication and Signal Processing.pp.no.816-820.

[21] Toshiyuki UTO, Masaaki IKEHARA and Masahiro OKUDA. (2002). “Wavelet Packet Algorithm ForQuadtree-Based EmbeddedImage Coding”. IEEE transactions.pp.no.3517-3520.

[22] Javed Akhtar and Dr Muhammad YounusJaved. (2006). “Image Compression with different types ofWavelets”. International Conference on Emerging Technologies.pp.no.133-137.

[23] Arvind Kourav and Dr. Ashutosh Sharma. (2014). “Comparative Analysis Of Wavelet TransformAlgorithms for Image Compression”. International Conference on Communication and Signal Processing.pp.no.414-418.

[24] Pooja.B, PragatiKulkami, SnehaJoseph, K.L.Madhuri and Prof. G. Indumathi. (2011). “Comparison Of Algorithms For Image Compression”. Proceedings of International Conferences on Advances in Recent Technologies in Communication and Computing.pp.no.259-261.

[25] Mei Zhu and Zhang Wei Li. (2009). “An Enhanced Embedded Image CompressionAlgorithm”. IEEE transactions.pp.no.1-4.

[26] Zhi Chen, Chenhao Mu and Fan Xu. (2014). “An enhancement of Embedded Zerotree Wavelet Coding based on Compressed Sensing”. Compressed Sensing Imaging Technology Theory Research.pp.no.1177-1180.

[27] Sambhunath Biswas. (2000). “Hilbert Scan and Image Compression”. IEEE transactions.pp.no.1-4.

[28] Sei-ichiroKamata, Nobuyoshi Nishi and Yukihiro Bandoh. (2001). “Color image compression using a Hilbert scan”. IEEE transactions.pp.no.1-4.

[29] Chin-Chen Chang, Ju-Yuan Hsiao and Jyh-Chiang Yeh. (2008). “A Novel Lossy Image Compression Scheme Based on Hilbert Curve and VQSuitable for Fast Window Query”. International Symposium on Intelligent Information Technology Application.pp.no.341-345.